

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
3 January 2002 (03.01.2002)

PCT

(10) International Publication Number
WO 02/00748 A1

- (51) International Patent Classification⁷: **C08F 290/04**, 290/06, 214/18, G02F 1/167, G03G 17/04
- (21) International Application Number: PCT/US00/33651
- (22) International Filing Date:
12 December 2000 (12.12.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/604,889 28 June 2000 (28.06.2000) US
- (71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY** [US/US]; 3M Center, Post Office Box 33427, Saint Paul, MN 55133-3427 (US).
- (72) Inventors: **RAO, Prabhakara, S.**; Post Office Box 33427, Saint Paul, MN 55133-3427 (US). **BARAN, Jimmie, R., Jr.**; Post Office Box 33427, Saint Paul, MN 55133-3427 (US). **JING, Naiyong**; Post Office Box 33427, Saint Paul, MN 55133-3427 (US).
- (74) Agents: **DAHL, Philip, Y. et al.**; Office of Intellectual Property Counsel, Post Office Box 33427, Saint Paul, MN 55133-3427 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: FINE LATEX AND SEED METHOD OF MAKING

(57) Abstract: The present invention provides a two-step method of making a latex in a highly fluorinated liquid solvent, including a first step of polymerizing together a mixture of: i) 1-2 parts by weight of one or more non-fluorinated free-radically-polymerizable monomers, and ii) 1-9 parts by weight of one or more highly fluorinated macromers terminated at one or more sites with free-radically-polymerizable groups to form a dispersion of seed particles; and a second step of polymerizing together said seed particles with an additional 10-1,000 percent by weight, relative to the total weight of the seed particles, of one or more non-fluorinated free-radically-polymerizable monomers. The present invention additionally provides a fine latex comprising a highly fluorinated liquid solvent and dispersed particles having an average particle size of 250 nm or less and more preferably 200 nm or less. The latexes of the present invention may be useful in an electrophoretic display.

WO 02/00748 A1

including FC-171, having the structure $R_f\text{-SO}_2\text{N}(\text{C}_2\text{H}_5)(\text{CH}_3\text{CH}_2\text{O})_n\text{CH}_3$, where n is about 8 and R_f is a fluorocarbon portion.

Summary of the Invention

5 Briefly, the present invention provides a two-step method of making a latex in a highly fluorinated liquid solvent, including a first step of polymerizing together a mixture of: i) 1-2 parts by weight of one or more non-fluorinated free-radically-polymerizable monomers, and ii) 1-9 parts by weight of one or more highly fluorinated macromers terminated at one or more sites with free-radically-polymerizable groups to
10 form a dispersion of seed particles; and a second step of polymerizing together said seed particles with an additional 10-1,000 percent by weight, relative to the total weight of the seed particles, of one or more non-fluorinated free-radically-polymerizable monomers.

In another aspect, the present invention provides a fine latex comprising a
15 highly fluorinated liquid solvent and dispersed particles having an average particle size of 250 nm or less and more preferably 200 nm or less.

In another aspect, the present invention provides an electrophoretic display comprising the non-film-forming latex herein, wherein said dispersed particles may be alternately a) removed from dispersion by application of an electric field, and b)
20 redispersed by removal or reversal of said electric field.

What has not been described in the art, and is provided by the present invention, is a non-film-forming latex of hydrocarbon/fluorocarbon particles dispersed in a fluorocarbon solvent useful in an electrophoretic display having the small particle size and high conductance disclosed herein.

25 In this application:

“reacting dyes” means dyes which are covalently bound to the polymer;

“non-reacting dyes” means dyes which are not substantially incorporated into a polymer by polymerization, including every dye that is not a reacting dye;

“highly fluorinated”, means containing fluorine in an amount of 40 wt% or
30 more, but preferably 50 wt% or more and more preferably 60 wt% or more, and refers

to the fluorine content of a population of chemical moieties where applicable, such as in the term, "one or more highly fluorinated macromers";

"non-fluorinated", means containing substantially no fluorine, i.e. containing fluorine in an amount of 5 wt% or less, but preferably 1 wt% or less and most preferably 0 wt%, and refers to the fluorine content of a population of chemical moieties where applicable, such as in the term, "one or more non-fluorinated free-radically-polymerizable monomers";

"C(number)" refers to a chemical moiety containing the indicated number of carbon atoms;

"(meth)acrylate" means acrylate and methacrylate; and

"substituted" means, for a chemical species, substituted by conventional substituents which do not interfere with the desired product or process, e.g., substituents can be alkyl, alkoxy, aryl, phenyl, halo (F, Cl, Br, I), cyano, etc.

It is an advantage of the present invention to provide a latex of non-film-forming dye-bearing particles, which latex is useful in an electrophoretic display and can be used for repeated cycles of electrophoretically removing the particles of the latex from dispersion and returning them to dispersion.

Detailed Description of Preferred Embodiments


The present invention provides a two-step method of making a latex in a highly fluorinated liquid solvent, including a first step of polymerizing together a mixture of: i) 1-2 parts by weight of one or more non-fluorinated free-radically-polymerizable monomers, and ii) 1-9 parts by weight of one or more highly fluorinated macromers terminated at one or more sites with free-radically-polymerizable groups to form a dispersion of seed particles; and a second step of polymerizing together said seed particles with an additional 10-1,000 percent by weight, relative to the total weight of the seed particles, of one or more non-fluorinated free-radically-polymerizable monomers.

The latex according to the present invention is preferably a non-film-forming latex comprising a highly fluorinated liquid solvent and dispersed particles comprising a polymer comprising units according to formula I:



5 wherein each (fcp) is independently selected from highly fluorinated polymer chains which may terminate at the -A= group of another unit according to formula I so as to form a polymer molecule that contains two or more A groups linked by (fcp) groups; wherein each Q is independently selected from -H and straight or branched non-
 10 fluorinated polymer chains (hcp), wherein no more than one Q of each unit according to formula I may be -H, and wherein each (hcp) may terminate at the -A= group of another unit according to formula I so as to form a polymer molecule that contains two or more A groups linked by (hcp) groups. Preferably some of the (hcp) groups are branched due to the inclusion of polyfunctional crosslinkers. Preferably the particles
 15 contain reacting or non-reacting dyes. Preferably the particles additionally contain charging agents.


Preferably the -A= group is the moiety according to formula II:



20 wherein each R¹ is independently selected from -H, -CH₃, -F and -Cl; wherein each -R⁶- is independently selected from divalent substituted or unsubstituted C1-C10
 25 alkylene, cyclic alkylene, or arylene groups. The (fcp) moieties may terminate at A groups at one or both ends. The (hcp) moieties may terminate at A groups at one or both ends, or at more than two ends if the (hcp) moiety is branched due to the inclusion of a crosslinker. Thus it is contemplated that a single molecule may contain numerous A groups linked by (hcp) groups.

30 The fluorocarbon polymer (fcp) portions are preferably highly fluorinated macromers. Preferred macromers include macromers of monomers selected from fluoroalkyl acrylates, fluoroalkyl methacrylates, fluoroalkyl haloacrylates and

fluoroalkyl halomethacrylates. Preferably these macromers are fluoropolymer chains comprising units according to formula III:



where each R^1 is independently selected from -H, -CH₃, -F and -Cl; each n is independently selected from integers from 1 to 10; and each R^2 is selected independently from: highly fluorinated substituted or unsubstituted C1-C20 alkyl, cyclic alkyl, or aryl groups; -N(R^3)SO₂ R^4 , where each - R^3 is selected independently from -H and substituted or unsubstituted C1-C8 alkyl, and where each - R^4 is selected independently from highly fluorinated substituted or unsubstituted C1-C20 alkyl, cyclic alkyl, or aryl groups. Preferably - R^1 groups are -H or -CH₃. Preferably n is 1 or 2, more preferably 1. Preferably - R^2 is a highly fluorinated C1-C20 alkyl group, more preferably a highly fluorinated C1-C8 alkyl group. In another preferred embodiment, the - R^2 groups of the (fcp) are a mixture selected from highly fluorinated C1-C8 alkyl groups and -N(R^3)SO₂ R^4 , where - R^3 is selected from C1-C8 alkyl groups - R^4 is selected from highly fluorinated C1-C8 alkyl groups.

In another preferred embodiment, (fcp) are polyfluoroalkylethers, preferably those comprising one or more units according to the formula -(CF₂)_aCFXO-, where a is 0-3, but most preferably 1, and X is -F, -CF₃ or -CF₂CF₃ but most preferably -F. More preferred polyfluoroalkylethers comprise units according to the formula -CF₂CF₂O-. Preferred polyfluoroalkylethers are those according to the formula -NHCO₂(CH₂)_p(CF₂)_q-O-(CF₂CF₂O)_m(CF₂)_r(CH₂)_sOH when (fcp) is monovalent or -NHCO₂(CH₂)_p(CF₂)_q-O-(CF₂CF₂O)_m(CF₂)_r(CH₂)_sCO₂NH- when (fcp) is divalent, where p is 1-4, q is 1-5, r is 1-5, s is 1-4, m is 1-50. Preferably p is 1-2. Preferably q is 1-2. Preferably r is 1-2. Preferably s is 1-2. Preferably p is equal to s and q is equal to r . Preferably m is 5-20 and more preferably 7-15. The chain may alternately terminate with -F in place of -(CH₂)_sOH in the formula above.

The hydrocarbon polymer (hcp) groups are preferably non-fluorinated macromers (including co-macromers) of (meth)acrylate and other ethylenically

unsaturated monomers such as styrenes. The hydrocarbon polymer (hcp) macromers are preferably polymers or copolymers of one or more of the following preferred monomers. Preferred monomers include monomers according to the formula:
 $\text{CH}_2=\text{CR}^1-\text{C}(\text{O})\text{OR}^2$, where $-\text{R}^1$ is hydrogen or methyl and $-\text{R}^2$ is selected from C1-C20 substituted or unsubstituted, straight-chain or branched or cyclic, alkyl or aryl groups. Especially preferred monomers of this group include ethyl (meth)acrylate, methyl (meth)acrylate and isobornyl (meth)acrylate, butyl (meth)acrylate, isobutyl (meth)acrylate, t-butyl (meth)acrylate, hydroxypropyl (meth)acrylate, acetoacetoxyethyl (meth)acrylate. Preferred monomers also include styrene or substituted styrene monomers such as methylstyrene.

The hydrocarbon polymer (hcp) portions preferably include non-fluorinated crosslinkers, and are therefore branched. Preferred crosslinkers include polyacrylates such as PEG Diacrylate with a molecular weight of preferably between 200 and 2000.

In order to improve resistance to film-forming, preferably the (hcp) portion of the particles contains one or more of: crosslinkers, cyclic or polycyclic monomers, aromatic monomers, and C12 or larger substituted or unsubstituted alkyl monomers. More preferably the (hcp) portion of the particles contains one or more of: crosslinkers, cyclic or polycyclic monomers and aromatic monomers.

The hydrocarbon polymer (hcp) portions may also include reacting dyes which are incorporated into the polymer chain as monomer units. Such reacting dyes contain a chromogenic portion and a reactive portion, which are not exclusive of each other. Preferably the reactive portion is a free-radically-polymerizable group, such as a vinyl or (meth)acrylate group. In one preferred embodiment, a free-radically-polymerizable group is added to a dye by derivatization with isocyanatoethyl methacrylate. In one procedure, the dye is suspended in a solvent such as FC-75 by sonication and an equivalent of isocyanatoethyl methacrylate is added dropwise, followed by two drops of dibutyltin dilaurate catalyst and continued sonication and agitation for 1 hour. A preferred reacting dye and method of preparation is disclosed in the examples below.

The dispersed particles may also include non-reacting dyes. The non-reacting dyes have greater affinity for the particles than for the solvent and are therefore contained in the particles. Preferably the non-reacting dyes have greater affinity for the

(hcp) portions of the particle than for the (fcp) portions or the solvent. Preferred non-reacting dyes are disclosed in the examples below. The particles according to the present invention preferably contain no particulate pigments.

Without wishing to be bound by theory, it is believed that the particles take the form of a hydrocarbon-polymer-rich core and a fluoropolymer-rich shell. It is believed that most dyes are incorporated in the core due to compatibility with the hydrocarbon material of the core. Thus it is believed that reducing the fluoropolymer content of the particles improves the optical properties of the particle by allowing easier access to the dyed core. In addition, it is believed that reducing the fluoropolymer content of the particles can improve the particle's resistance to film formation. Preferably the particles are composed of 40-99 percent by weight non-fluorinated hydrocarbon polymer and 1-60 percent by weight highly fluorinated fluoropolymer. More preferably the particles are composed of 60-99 percent by weight non-fluorinated hydrocarbon polymer. More preferably the particles are composed of 1-40 percent by weight highly fluorinated fluoropolymer. Most preferably the particles are composed of 1-10 percent by weight highly fluorinated fluoropolymer. However, greater fluoropolymer content is acceptable as particle size is decreased. In particles of less than 200nm average diameter, the particles are preferably composed of 10-40 percent by weight highly fluorinated fluoropolymer, more preferably 10-25 percent by weight highly fluorinated fluoropolymer.

The dispersed particles may also include charging agents. The charging agent renders the particle mobile under the influence of an electric field. In addition, the charge imparted to the particles by the charging agent creates an electrostatic repulsion between particles which improves resistance to film formation. Like non-reacting dyes, the charging agent has a greater affinity for the particles than for the solvent and is therefore contained in the particles. Preferably the charging agent has a greater affinity for the (hcp) portions of the particle than for the (fcp) portions or the solvent. The charging agent is preferably cationic, more preferably a quaternary ammonium cation. Preferred charging agents include 1-ethyl-3-methyl-1H-imidazolium bis(trifluoromethylsulfonylamide), which may be prepared as disclosed in the examples

below; $(\text{C}_4\text{H}_9)_3\text{N}:\text{HOC}(\text{O})-\text{C}_7\text{F}_{15}$; $(\text{C}_3\text{H}_7)_4\text{N}^+ \text{ } ^-\text{OC}(\text{O})-\text{C}_7\text{F}_{15}$; $(\text{C}_4\text{H}_9)_4\text{N}^+ \text{ } ^-\text{OC}(\text{O})-\text{C}_9\text{F}_{19}$; $\text{C}_7\text{F}_{15}-\text{CO}_2\text{H}$; and combinations thereof.

Latexes according to the present invention preferably demonstrate a high conductance as measured by the method described in the examples below. Measured
5 conductance is taken to reflect the charge/mass ratio (charge density) of the particles in suspension, whether imparted by the charging agent or inherent in the particle itself. Preferred latexes according to the present invention have a conductance of 1 picomho/cm or more, more preferably 4 picomho/cm or more, and most preferably 9 picomho/cm or more. However, lower conductance is acceptable when particle size is
10 decreased. In particles of less than 200nm average diameter, conductance is preferably 0.1 picomho/cm or more.

The average diameter (particle size) for the dispersed particles of the latex is preferably measured by the method described in the examples below. Smaller particles are preferred for a number of reasons, including greater and faster mobility and lesser
15 tendency to form a film. Preferably the particles have an average diameter of 1000 nm or less, more preferably 350 nm or less, more preferably 300 nm or less, more preferably 250 nm or less, and most preferably 200 nm or less. The seed method of latex formation described below has been found to produce exceptionally fine particles. That method and the resulting fine particles are preferred.

20 The solvent may be any suitable highly fluorinated solvent. The solvent is preferably a fluorocarbon, especially a branched or unbranched, cyclic or non-cyclic fluoroalkane. Preferred solvents include FLUORINERT™ fluorinated solvents available from 3M Company, St. Paul, Minnesota. Two especially preferred solvents are FLUORINERT FC-75, a perfluorinated C_8 solvent, CAS No. [86508-42-1], and
25 FLUORINERT FC-84, a perfluorinated C_7 solvent, CAS No. [86508-42-1].

The density of particles in solvent (solids content) may be any level at which the dispersion is stable and does not significantly coagulate. For use of the latex in an electrophoretic display, the solids content may be any level that allows proper
30 functioning over repeated cycles. Preferably, the solids content is less than 10 wt%, more preferably less than 5 wt%, and most preferably less than 2 wt%.

The latexes according to the present invention may be incorporated into electrophoretic displays. A typical display comprises two planar electrodes defining a thin gap between them which holds the latex. When a sufficient voltage of the correct polarity is applied, the suspended particles are drawn out of suspension and onto one electrode. That electrode, which is substantially transparent, forms the inner surface of a viewing glass, such that the particles form an image viewed through the glass. In contradiction to the characteristics of an electrostatic toner, which must form a permanent image under analogous conditions, the latex of the present invention must return to suspension when the voltage is removed or reversed.

10 The latexes of the present invention have high resistance to film formation when used in electrophoretic display devices. To determine resistance to film formation, an actual device may be used or a breadboard device as described in the examples below. Latexes of any solids content may be tested but preferably the solids content is 1 wt%. The device is preferably used in a normal manner, alternately applying and removing
15 (or reversing) the typical use voltage. The voltage should be sufficient to remove particles from suspension and create an image when applied. Preferably the latexes are non-film-forming to the extent that they redisperse completely (by appearance to the naked eye) after at least twenty cycles, more preferably after at least 100 cycles, and most preferably after at least 10,000 cycles. Without wishing to be bound by theory, it
20 is believed that the resistance to film formation demonstrated by the latexes of the present invention is aided by incorporation of crosslinkers, by the choice of high Tg monomers such as 3,4 methyl styrene, isobornyl acrylate, by reduction of the fluoropolymer content resulting in a thinner outer shell zone, by increasing the electrostatic charge (conductance) of the particles, by exclusion of particulate pigments,
25 which may be replaced with dyes. The latexes and particles according to the present invention are preferably non-film-forming due to one or more of the preceding conditions.

Any suitable method of synthesis which results in the latexes according to the present invention may be used. One method of making latexes according to the present
30 invention is illustrated by the syntheses of latexes L1 to L15 in the Examples below. In this method, a highly fluorinated macromer is synthesized by polymerization and the

macromer is then derivatized to add a terminal polymerizable group. The macromer is then polymerized together with non-fluorinated monomers, preferably using a polymerization initiator and optionally a crosslinker, to form the latex particle.

Reacting dyes must be added prior to polymerization. Non-reacting dyes and charging agents may be added at any stage, but are preferably added prior to polymerization. All reactions preferably take place in a highly fluorinated solvent. Preferably the reaction mixture is no more concentrated than 15 wt% reactants relative to the amount of solvent.

A more preferred method of making the latexes of the present invention is designated the seed method, and is illustrated by the syntheses of latexes L16 to L18 in the Examples below. In this method the polymerization to form the latex particles is performed in two steps. First, the highly fluorinated macromer and a fraction of the non-fluorinated monomers are polymerized with agitation to form a population of seed particles. The weight ratio of highly fluorinated macromer to non-fluorinated monomer is preferably between 1:2 and 9:1. In the second step, the remainder of the non-fluorinated monomers are added. The amount of additional monomer is preferably at least 10% of the weight of the seed particles, and preferably not more than 20 times the weight of the seed particles. Preferably the reaction mixture is no more concentrated than 15 wt% reactants relative to the amount of solvent. The seed method can achieve a smaller average particle diameter, preferably 250 nm or less, and more preferably 200 nm or less.

This invention is useful in electrophoretic image displays.

Objects and advantages of this invention are further illustrated by the following examples, but the particular materials and amounts thereof recited in these examples, as well as other conditions and details, should not be construed to unduly limit this invention.

Examples

Materials

The following materials were used in these examples. Where not otherwise
5 noted, all chemicals and reagents may be available from Aldrich Chemical Co.,
Milwaukee, WI.

TRIGONOX™ 21C-50 (50%) is a trade designation for a thermal free radical
polymerization initiator available from Akzo Nobel Chemicals, Inc., Watertown,
Connecticut.

10 FLUORINERT™ materials are fluorinated solvents available from 3M
Company, St. Paul, Minnesota. FLUORINERT FC-75 is a perfluorinated C₈ solvent,
CAS No. [86508-42-1]. FLUORINERT FC-84 is a perfluorinated C₇ solvent, CAS No.
[86508-42-1].

FLUORAD™ materials are fluorinated surfactants/surface modifiers available
15 from 3M Company, St. Paul, Minnesota. FLUORAD FC-740 is 50% fluoroaliphatic
polymeric esters in naphtha, CAS No. [64742-94-5]. FLUORAD FC-171 is a mixture
of 87-93% fluorinated alkylalkoxylate, CAS no. [68958-61-2]; 4-10 % fluorinated
alkylsulfonamide, CAS no. [4151-50-2]; and 2-4 % fluorinated alkylsulfonamide, CAS
no. [68958-60-1]. FLUORAD FC-722 is a 2% solution of fluorinated copolymer in
20 perfluorinated C₅₋₁₈ solvent, CAS No. [86508-42-1]. FLUORAD FC-430 is a 98.5%
solution of fluoroaliphatic polymeric esters in toluene. FLUORAD FC-189 is 2-(N-
butylperfluorooctanesulfonamido)ethyl acrylate. FLUORAD FC-170C is 68 wt%
perfluoroalkylsulfonamido oxyethylene adduct [29117-08-6], 12 wt% polyethylene
glycol, 7 wt% water, approx. 5 wt % perfluoroalkylsulfonamido oxyethylene adduct
25 [56372-23-7], and approx. 5 wt. % perfluoroalkylsulfonamido oxyethylene adduct
[68298-79-3].

Lithium bis(trifluoromethylsulfonyl)amide is available under the trade
designation HQ-115 from 3M Company, St. Paul, Minnesota.

1H,1H-perfluoroalkyl methacrylate is available under the trade designation
30 L-1987 from 3M Company, St. Paul, Minnesota.

1H,1H-perfluorooctyl acrylate is available from Exfluor Corp., Austin, TX.

PEG (400) diacrylate is a polyethylene glycol diacrylate available from Polysciences, Inc., Los Angeles, California.

Dibutyltin dilaurate, isocyanatoethyl methacrylate, vinyl trifluoroacetate, 3-mercapto-1,2-propanediol, 2,2'-azobis(isobutyronitrile), isobornyl methacrylate, methyl
5 methacrylate, ethyl methacrylate, 1-ethyl-3-methyl-1H-imidazolium chloride, 2,2,2-trifluoroethyl acrylate, and dimethylaminoethyl methacrylate are available from Aldrich Chemical Co., Milwaukee, Wisconsin and other general chemical suppliers.

Mercaptopropyltrimethoxysilane was obtained from United Chemical Technologies, Inc., Petrarch Systems, Bristol, Pennsylvania.

10 OXSOL™ R 2000 is α,α,α -trifluoromethyltoluene, available from Occidental Chemical Corp., Dallas, Texas.

FLUORAD™ FC-3275 is a blue dye in perfluorinated C₇-C₈ solvents available from 3M Company of St. Paul, Minnesota.

GENSOLVE™ 2000 is dichlorofluoromethane CAS No. 1717-00-6; also
15 labeled as hydrochlorofluorocarbon HCFA-141b.

Synthesis of Fluoromacromer Solvents with Polymerizable Terminal Groups

Fluorocarbon macromers designated FMD-1, FMD-2, FMD-3 and FMD-4, were synthesized using the components listed in Table I and the procedure described
20 following.

A mixture of the monomers indicated in Table I was dissolved in the indicated solvent (Fluorinert™ FC-75 or FC-84) to make a 50% (by weight) solution, in a three-neck flask equipped with a reflux condenser, nitrogen inlet tube and addition funnel. The specified amount of 3-mercapto-1,2-propanediol was added as a chain transfer
25 agent. The mixture was flushed with nitrogen for 20 minutes. The specified amount of the indicated polymerization initiator (Trigonox 21C-50 or 2,2'-azobisisobutyronitrile) was added. The mixture was then polymerized for 12 hrs at 75 °C. A second increment of the initiator in the same amount was added and the mixture was polymerized for another 12 hrs at 75 °C. Next, the reaction temperature was raised to 85 °C for 1 hr to
30 destroy residual initiator. The polymer dispersion was then cooled to room temperature.

Finally, the terminal group monomer, isocyanatoethyl methacrylate (IEM), was added with thorough mixing in the indicated amount, which is stoichiometrically equimolar to the chain transfer agent, followed by two drops of dibutyltin dilaurate to complete the reaction of the isocyanate with one of the two hydroxyl end groups of the polymer.

TABLE I

	FMD-1	FMD-2	FMD-3	FMD-4
Fluorinert™ Solvent	FC-84	FC-84	FC-75	FC-75
Monomers:				
1H,1H-Perfluoroalkyl methacrylate				93.6 g
1H,1H-Perfluorooctyl acrylate	136.23 g	136.23 g	136.23	
FLUORAD™ FC-189	45.4 g		45.4 g	31.2 g
Dimethylaminoethyl methacrylate		13.6 g		
Vinyl trifluoroacetate				25 g
2,2,2-trifluoroethyl acrylate				25 g
Chain Transfer Agent:				
3-mercapto-1,2-propanediol	0.3225 g	0.3225 g	0.2 g	0.215 g
Initiators:				
Trigonox™ 21C-50	1 g	1g	0.5 g	0.32 g
2,2'-azobisisobutyronitrile				0.33 g
Terminal Group Monomer:				
Isocyanatoethyl methacrylate	0.925 g	0.925 g	0.60 g	0.62 g

Synthesis of Charging Agent, 1-ethyl-3-methyl-1H-imidazolium

10 bis(trifluoromethylsulfonylamide)

1-Ethyl-3-methyl-1H-imidazolium chloride (49.0 g) was dissolved in 285.0 g deionized water to form a 1M solution. 127.8 ml of this solution was combined with 36.7 g lithium bis(trifluoromethylsulfonyl)amide and 50 ml dichloromethane in a flask with a magnetic stir bar. The solution was allowed to stir overnight, then transferred to a separatory funnel, where the aqueous phase was washed three times with 10 ml of dichloromethane. The three dichloromethane phases were combined and the dichloromethane was removed under reduced pressure. The recovered material was used without further purification.

Synthesis of Non-Film Forming White Acrylic Latex Particles

White (non-dye-bearing) acrylic latexes, designated L1, L2, L3, L4 and L5, were synthesized using the components listed in Table II and the procedure described following.

5 A mixture of the indicated acrylic monomers, optionally including PEG 400 diacrylate crosslinker as indicated, was suspended in 500 ml of Fluorinert™ solvent FC-75 along with the indicated fluoromacromer solvent, FMD-1 or FMD-4, in a three-neck flask equipped with a reflux condenser, nitrogen inlet tube and addition funnel. Where indicated, a mixture of the indicated Fluorad™ surfactants was added to
10 enhance the stability of the dispersion. Where indicated, a charging agent, 1-ethyl-3-methyl-1H-imidazolium bis(trifluoromethylsulfonamide), was added. A polymerization initiator, Trigonox™ 21C-50, was added in an amount of 0.1-0.2 % by weight of the reaction mixture. This reaction mixture was flushed with nitrogen for 20 minutes and then the mixture was polymerized for 12 hrs at 75 °C. A second increment
15 of the initiator in the same amount was added and the mixture was polymerized for another 12 hrs at 75 °C. The resulting latex was then filtered through a thickly folded cheese cloth to remove agglomerated particles.

 The resulting latexes contained a solids content of about 5 wt%. Solids content was measured by evaporating a known weight of the latex to dryness by heating to 100°
20 C in a vacuum oven and weighing of the remaining dry solids.

 Particle size and size distribution, reported in Table II, were measured using a Coulter N4 PLUS dynamic light scattering photometer (Coulter Corp., Miami, FL) with a measuring range of 3 nm to 3 µm. Particle size and size distributions were obtained at the high dilution range set by the instrument.

25 Conductance, reported in Table II, was measured using a Scientifica Model 627 conductivity meter (available from Scientifica of Princeton, New Jersey) using a stainless steel concentric cylinder probe. A frequency of 18 Hz was applied to the outer cylinder. The conductivity of the liquid sample was determined by measuring the current between the outer cylinder and the inner cylinder. Higher conductance is
30 indicative of higher charge/mass ratio, which indicates that the particles may be more easily moved by application of an electric field.

Film-forming characteristics were tested in a breadboard display device, which included a transparent indium tin oxide electrode coated on an essentially planar high refractive index display glass opposite an essentially planar metal counter electrode. The gap between electrodes was 5-10 μm . The volume between the display glass electrode and the counter electrode was filled with the latex to be tested and a voltage of 10 volts was applied for less than a second, driving the latex particles to the display glass. After the voltage was removed, non-film-forming latexes redispersed in the solvent, whereas film-forming latexes fully or partially remained on the display glass. Non-film-forming latexes redisperse completely (by appearance to the naked eye) after at least twenty cycles. Film forming latexes typically would not redisperse in the first or second cycle. Toner compositions are unable to redisperse after a single cycle, consistent with their role in electrophotographic processes.

Latexes L1-L5 were found to be non-film forming.

15

TABLE II

	L1	L2	L3	L4	L5
Monomers:					
Ethyl Methacrylate	20 g			15 g	
Methyl Methacrylate		20 g		15 g	
Isobornyl Methacrylate			20 g		20 g
PEG 400 Diacrylate	4 g	4 g			
FC Macromer:					
FMD-4			12.5 g		
FMD-1	1.5 g	1.5 g		12.5 g	15 g
Surfactant Mixture: Fluorad™ surfactants	none	none	FC-430, 2 g FC-170C, 3 g	FC-740, 0.6 g FC-171, 0.5 g FC-722, 2.5 g	FC-430, 2.0 g FC-170C, 2.5 g
Charging Agent:	none	none	0.5 g	0.5 g	none
Conductance (picomho/cm)	1.74	4.8	9.5	4.5	9.5
Particle Size {distribution}	302 nm {narrow}	575 nm {broad}	800 nm {broad}	280 nm {narrow}	not measured

Addition of Charging Agent to Non-Film Forming Acrylic Latex Particle Dispersions

Acrylic latexes L1, L2, L4 and L5 were diluted to 1 wt% dispersions in FC-75 solvent. Additional charging agent was added to the dispersion in the amount indicated and the conductivity was measured by the method described above.

5

TABLE III

	L1	L2	L4	L5
Conductance (pico mho/cm)				
No additional charging agent	1.74	4.8	4.6	9.5
0.02% additional charging agent	1.83	4.4	4.6	9.3
0.04% additional charging agent	1.85	4.3	4.7	9.2
0.10% additional charging agent	902	220	550	1398


Synthesis of Non-Film Forming Dye-Bearing Acrylic Latex Particles

Dye-bearing acrylic latexes, designated L6 (Cyan), L7 (Cyan), L8 (Red), L9 (Yellow), L10 (Yellow), L11 (Violet), L12 (Magenta), L13 (Cyan) and L14 (Magenta), were synthesized using the components listed in Table IV and the procedure described following.

A mixture of the indicated acrylic monomers, optionally including PEG 400 diacrylate crosslinker as indicated, was suspended in 500 ml of Fluorinert™ solvent FC-75 along with 2.0 g of fluoromacromer solvent FMD-1. (IBA = isobornyl acrylate, MMA = methyl methacrylate, EMA = ethyl methacrylate). For L6 (Cyan) only, 3 g of a mixture of Fluorad™ surfactants (2:3 by weight FC-430 and FC-171) was added to enhance the stability of the dispersion. The indicated hydrocarbon-soluble dye was dissolved in the monomer mixture along with a small quantity of Genesolve™ 2000 (essentially CH₃CCl₂F; Allied Signal, Morristown, NJ) to facilitate and accelerate the solvation of the dye. A polymerization initiator, Trigonox™ 21C-50, was added in an amount of 0.1-0.2 % by weight of the reaction mixture. This reaction mixture was flushed with nitrogen for 20 minutes and then the mixture was polymerized for 12 hrs at 75 °C. A second increment of the initiator in the same amount was added and the mixture was polymerized for another 12 hrs at 75 °C. The resulting latex was then filtered through a thickly folded cheese cloth to remove agglomerated particles.

Dyes were modified as follows:

PECHS salts of Basic Violet (C.I. 42555) and Basic Blue (C.I. 1) were made by exchanging cations for PECHS:



Derivatized Solvent Yellow 18 (C.I. 12740) was a reactive dye incorporating a
 5 function polymerizable with the acrylic monomers. The derivatized dye was made as follows: 1 g of Solvent Yellow 18 (C.I. 12740) was suspended in ~25 ml of FC-75 perfluorinated fluid by sonication. Isocyanatoethyl methacrylate (0.566g) was added dropwise to the dye suspension under sonication, followed by two drops of dibutyltin dilaurate catalyst. After an hour under sonication and agitation, the suspension was
 10 filtered, washed with FC-84 and dried under vacuum below 40 °F, the dry solid being the derivatized dye.

It was found that the dyes were substantially entirely contained in the latex particles, presumably in the hydrocarbon polymer core. Unreacted dye was found in a coagulum obtained after filtering the latex through cheesecloth as described.

15 The resulting latexes contained a solids content of about 5 wt%, measured as described above.

Particle size and conductance were measured as described above. Latexes L6-L14 were each tested and proved to be non-film forming.

TABLE IV

	L6 (Cyan)	L7 (Cyan)	L11 (Violet)	L13 (Cyan)	L8 (Red)	L12 (Magenta)	L14 (Magenta)	L9 (Yellow)	L10 (Yellow)
Dye	0.25g Solvent Blue (C.I. 97)	0.25g Solvent Blue (C.I. 97)	0.2 g Basic Violet (C.I. 42555) PECHS salt	0.2 g Basic Blue (C.I. 1) PECHS salt	0.25g Solvent Red 23 (C.I. 26100)	0.2g Magenta Solvent Dye (CAS 58559-02-7)	0.2g Magenta Solvent Dye (CAS 58559-02-7)	1.6g Derivatized Solvent Yellow 18 (C.I. 12740)	1.75g Derivatized Solvent Yellow 18 (C.I. 12740)
Monomer	25 g MMA	25 g MMA	25 g MMA	25 g MMA	25 g IBA	25 g MMA	25 g MMA	25 g EMA	25 g MMA
Crosslinker: 5g PEG (400) diacrylate	None	5g	5g	5g	5g	5g	5g	None	5g
Conductance (picomho/cm)	1.0	3.4	2.4	3.8	44	2.5	2.8	4.5	1.7
Particle Size (distribution)	255 nm (narrow)	290 nm (narrow)	300 nm (narrow)	240 nm (narrow)	240 nm (narrow)	280 nm (narrow)	300nm (narrow)	300nm (narrow)	260nm (narrow)

Synthesis of Very Fine Non-Film Forming White Acrylic Latex Particles by SeedMethod

A latex of very fine white (non-dye-bearing) acrylic particles, designated L16, was synthesized using the seed method described following.

5 2.5 g of FMD-1 and 2.5 g methylstyrene (a mixture of 3- and 4-methyl isomers obtained from Aldrich Chemical Company, Milwaukee, WI, Cat. No. 30,898-6) were added to 250 ml of Fluorinert™ solvent FC-75, in a three-neck flask equipped with a reflux condenser, nitrogen inlet tube and addition funnel. One gram of the polymerization initiator, Trigonox™ 21C-50, was added. This reaction mixture was
10 flushed with nitrogen for 15 minutes and then the mixture was polymerized for about 100 minutes at 80 °C with vigorous stirring using a magnetic stir bar. A white turbid suspension of seed polymer particles resulted. The temperature of the reaction mixture was lowered to 70 °C with continued stirring and another 1 part Trigonox™ 21C-50 was added. An additional 10 g of the methylstyrene was added dropwise via an
15 addition funnel into the stirred reaction mixture over a period of 2 hours while the reaction temperature was kept at 70 °C. After addition of monomer was complete the polymerization was allowed to continue for another 16 hours. The resulting latex was then filtered through a thickly folded cheese cloth to remove agglomerated particles. The latex had an average particle size of 220nm and a conductance of 0.1 picomho/cm,
20 measured as described above.

Synthesis of Very Fine Non-Film Forming Dye-Bearing Acrylic Latex Particles by SeedMethod

The synthesis of L16, preceding, was repeated except that 0.15 g of Solvent
25 Blue (C.I. 97) dye were dissolved in the 10 g of methylstyrene monomer added dropwise to the seed suspension. The resulting cyan colored latex, designated L17 (Cyan), had an average particle size of 375 nm; and a conductance of 0.1 picomho/cm, measured as described above.

Additional Synthesis of Very Fine Non-Film Forming Dye-Bearing Acrylic Latex
Particles by Seed Method

The synthesis of very fine dye-bearing latex L18 (Cyan), using the seed method described following, was repeated three times.

5 In a reaction flask, 7.5 g of FMD-1 and 2.5 g ethyl acrylate were added to 250 parts ml of Fluorinert™ solvent FC-75, in a three-neck flask equipped with a reflux condenser, nitrogen inlet tube and addition funnel. One gram of the polymerization initiator, Trigonox™ 21C-50, was added. This reaction mixture was flushed with nitrogen for 30-45 minutes. The temperature was rapidly raised to 80 °C and then the
10 mixture was polymerized for 2 hrs with vigorous stirring using a magnetic stir bar. After two hours, a mixture of 10 g of isobornyl acrylate and 0.2 g of Solvent Blue (C.I. 97) dye was added dropwise via an addition funnel into the stirred reaction mixture over a period of 1 hour while the reaction temperature was kept at 70 °C. An additional 1 g of Trigonox™ 21C-50 was added. After addition of monomer was complete the
15 polymerization was allowed to continue for another 16-20 hours. The resulting latex was then filtered through a thickly folded cheese cloth to remove agglomerated particles. Particle size and conductance were measured as described above. In three repetitions of this synthesis, the three resulting latexes were found to have average particle sizes of 140, 160 and 175nm respectively. Conductance was measured as
20 0.79 picomho/cm for one of the L18 (Cyan) latexes.

Synthesis of Perfluoropolyether Fluoromacromer Dispersant

A fluoromacromer dispersant designated FMD-5 based on a perfluoropolyether was synthesized as follows.

25 The perfluoroether diol $\text{HO-CH}_2\text{CF}_2\text{-O-(CF}_2\text{CF}_2\text{O)}_n\text{-CF}_2\text{CH}_2\text{-OH}$ was synthesized, where n is a distribution (nominally 10) and the diol has an average molecular weight of 1250. Polyethylene glycol (ave. m.w. 600)(Aldrich Chemical Co., Milwaukee, Wis.) was mixed with approximately two equivalents of $\text{CH}_3\text{C(O)Cl}$ at ambient temperature in the presence of two equivalents of triethylamine to form a
30 diacetate. The diacetate was then fluorinated by direct fluorination, such as disclosed in U.S. Pat No 4,523,039 (Lagow et al.). The resulting fluorinated acetate was mixed with

excess amount of methanol whereupon it reacted to give methyl esters such as $\text{CH}_3\text{O}(\text{CO})\text{CF}_2\text{O}-(\text{CF}_2\text{CF}_2\text{O})_{n-2}-\text{CF}_2(\text{CO})\text{OCH}_3$. These methyl esters were then reduced to the corresponding dihydroalcohols, such as $\text{HOCH}_2\text{CF}_2\text{O}-(\text{CF}_2\text{CF}_2\text{O})_{n-2}-\text{CF}_2\text{CH}_2\text{OH}$, by reaction with approximately two equivalents of NaBH_4 . The resulting mixture was
5 distilled under reduced pressure and a 1250 m.w. fraction collected.

To 35 g of this perfluoroether diol (m.w. 1250) in a covered amber jar was added dropwise 4.34 g (aprox. 1 equivalent) of isocyanatoethyl methacrylate (m.w. 155) to obtain a milky liquid. When the milky liquid turned clear, indicating the completion of the reaction between the hydroxyl and isocyanate, two drops of dibutyltin dilaurate
10 were added to the reaction mixture.

Synthesis of Acrylic Latex Particles Using FMD-5 Perfluoropolyether Fluoromacromer

Acrylic latexes designated L19 (Cyan) and L20 (Near-White) were synthesized as follows.

15 For L19(Cyan), 5 g of FMD-5 was combined with 12.5 g methylstyrene (a mixture of 3- and 4-methyl isomers obtained from Aldrich Chemical Company, Milwaukee, WI, Cat. No. 30,898-6), 5 g of Gensolve™ 2000, 0.2 g Solvent Blue (C.I. 97) and 250 g of Fluorinert™ solvent FC-75, in a three-neck flask equipped with a reflux condenser, nitrogen inlet tube and addition funnel. A polymerization initiator,
20 Trigonox™ 21C-50, was added in the amount of 1 g. This reaction mixture was flushed with nitrogen for 30 minutes and then the mixture was polymerized for 6 hrs at 75 °C. A second increment of the initiator in the same amount was added and the mixture was polymerized for another 20 hrs at 75 °C. The resulting latex was then filtered through a thickly folded cheese cloth to remove agglomerated particles.

25 The resulting cyan colored latex, designated L19 (Cyan), had an average particle size of 172 nm, measured as described above.

For L20 (Near-White), the same procedure was followed except that the cyan dye was replaced with 0.2 g of Magenta Solvent Dye (CAS 58559-02-7). The resulting latex, designated L20 (Near-White), was a near-white pale pink color and had an
30 average particle size of 170 nm, measured as described above.

Both L19 (Cyan) and L20 (Near-White) are observed to be non-film-forming.

Various modifications and alterations of this invention will become apparent to those skilled in the art without departing from the scope and principles of this invention, and it should be understood that this invention is not to be unduly limited to the illustrative embodiments set forth hereinabove. .

5


We claim:

1. A method of making a latex comprising dispersed particles comprising the steps of:
 - a) in a highly fluorinated liquid solvent, polymerizing together a mixture of:
 - 5 i. 1-2 parts by weight of one or more non-fluorinated free-radically-polymerizable monomers, and
 - ii. 1-9 parts by weight of one or more highly fluorinated macromers terminated at one or more sites with free-radically-polymerizable groups, to form a dispersion of seed particles; and
 - 10 b) in a highly fluorinated liquid solvent, polymerizing together said seed particles with an additional 10-1,000 percent by weight, relative to the total weight of the seed particles, of one or more non-fluorinated free-radically-polymerizable monomers.
- 15 2. The method according to claim 1 wherein said latex comprises dispersed particles having an average particle size of 250 nm or less.
3. The method according to claim 1 wherein said latex comprises dispersed particles having an average particle size of 200 nm or less.
- 20 4. The method according to claim 1, 2 or 3 wherein said mixture additionally comprises one or more dyes.
5. The method according to claim 1, 2, 3 or 4 wherein said mixture additionally
25 comprises a charging agent.
6. The method according to claim 5 wherein said charging agent is 1-ethyl-3-methyl-1H-imidazolium bis(trifluoromethylsulfonylamide).
- 30 7. The method according to any of claims 1 – 6 wherein said non-fluorinated free-radically polymerizable monomers are selected from (meth)acrylate monomers.

8. The method according to any of claims 1 – 6 wherein said non-fluorinated free-radically polymerizable monomers are selected from substituted or unsubstituted styrene monomers.

5

9. The method according to any of claims 1 – 8 wherein said highly fluorinated macromers are selected from macromers according to Formula IV:




10

wherein each R^1 is independently selected from -H, -CH₃, -F and -Cl;

wherein each R^6 is independently selected from substituted or unsubstituted C1-C10 alkyl, cyclic alkyl, or aryl groups,

15 wherein each (fcp) is selected from:

a) fluoropolymer chains comprising units according to formula V:



20

wherein each R^1 is independently selected from -H, -CH₃, -F and -Cl;

wherein each n is independently selected from integers from 1 to 10;

wherein each R^2 is selected independently from:

25

highly fluorinated substituted or unsubstituted C1-C20 alkyl, cyclic alkyl, or aryl groups;

$-\text{N}(\text{R}^3)\text{SO}_2\text{R}^4$, wherein each R^3 is selected independently from H and substituted or unsubstituted C1-C8 alkyl, and wherein each R^4 is selected independently from highly fluorinated substituted or


30

unsubstituted C1-C20 alkyl, cyclic alkyl, or aryl groups; and

b) fluoropolymer chains comprising $-(\text{CF}_2)_a\text{CFXO}-$ units, wherein each a is independently selected from 0-3 and wherein each X is independently selected from -F, -CF₃ or -CF₂CF₃;

wherein each (fcp) optionally terminates in another unit according to formula IV above.

10. The method according to any of claims 1 – 8 wherein said highly fluorinated macromers are selected from macromers according to Formula IV:



wherein each R¹ is independently selected from -H, -CH₃, -F and -Cl;

10 wherein each R⁶ is independently selected from substituted or unsubstituted C1-C10 alkyl, cyclic alkyl, or aryl groups,

wherein each (fcp) is selected independently from fluoropolymer chains comprising -CF₂CF₂O- units, and

wherein each (fcp) optionally terminates in another unit according to formula IV above.

15

11. The method according to any of claims 1 – 10 wherein said latex is non-film-forming.

12. A latex made according to the method of any of claims 1 – 11.

20

13. A latex of comprising:

a) a highly fluorinated liquid solvent; and

b) dispersed particles having an average particle size of 250 nm or less.

25 14. The latex according to claim 13 wherein said dispersed particles have an average particle size of 200 nm or less.

15. An electrophoretic display comprising the latex according to claim 12, 13 or 14, wherein said dispersed particles may be alternately a) removed from dispersion by

30 application of an electric field, and b) redispersed by removal or reversal of said electric field.

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C08F290/04 C08F290/06 C08F214/18 G02F1/167 G03G17/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C08F G02F G03G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 594 472 A (MINNESOTA MINING & MFG) 27 April 1994 (1994-04-27) claim 3	1
A	EP 0 683 436 A (MINNESOTA MINING & MFG) 22 November 1995 (1995-11-22) the whole document	1
A	WO 97 35904 A (LAYCOCK BRONWYN GLENICE ; CHAOUK HASSAN (AU); COMMW SCIENT IND RES) 2 October 1997 (1997-10-02) cited in the application the whole document	1
A	US 5 573 711 A (HOU WEI-HSIN ET AL) 12 November 1996 (1996-11-12) the whole document	1,15

☐ Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

9 April 2001

Date of mailing of the international search report

20/04/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Meulemans, R

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0594472	A	27-04-1994	US 5283148 A	01-02-1994
			DE 69324991 D	24-06-1999
			JP 6222623 A	12-08-1994
			US 5397669 A	14-03-1995
EP 0683436	A	22-11-1995	US 5530067 A	25-06-1996
			DE 69515719 D	27-04-2000
			DE 69515719 T	16-11-2000
			US 5530053 A	25-06-1996
WO 9735904	A	02-10-1997	AU 716787 B	09-03-2000
			AU 2028997 A	17-10-1997
			AU 717979 B	06-04-2000
			AU 2158297 A	17-10-1997
			BR 9708357 A	03-08-1999
			BR 9708363 A	03-08-1999
			CA 2248045 A	02-10-1997
			CA 2248162 A	02-10-1997
			CN 1217003 A	19-05-1999
			WO 9735906 A	02-10-1997
			EP 0889923 A	13-01-1999
			EP 0889924 A	13-01-1999
			JP 2000508005 T	27-06-2000
			JP 2000508682 T	11-07-2000
			NO 984478 A	27-11-1998
			NO 984480 A	27-11-1998
			US 6015609 A	18-01-2000
			US 6160030 A	12-12-2000
			AT 187971 T	15-01-2000
			AU 716443 B	24-02-2000
			AU 2289797 A	17-10-1997
			AU 707836 B	22-07-1999
			AU 5149096 A	23-10-1996
			BR 9604857 A	26-05-1998
			BR 9708355 A	03-08-1999
			CN 1214708 A	21-04-1999
			DE 69605778 D	27-01-2000
			DE 69605778 T	20-07-2000
			DK 819141 T	29-05-2000
			WO 9735905 A	02-10-1997
			EP 0819141 A	21-01-1998
			EP 0889925 A	13-01-1999
			GR 3032585 T	31-05-2000
			JP 11503473 T	26-03-1999
			JP 2000508006 T	27-06-2000
			NO 974583 A	26-11-1997
			NO 984479 A	27-11-1998
			NZ 304330 A	28-05-1999
			US 5994133 A	30-11-1999
			CA 2248003 A	02-10-1997
			US 6060530 A	09-05-2000
US 5573711	A	12-11-1996	CA 2191084 A	07-12-1995
			CN 1149894 A	14-05-1997
			EP 0760872 A	12-03-1997
			JP 10501301 T	03-02-1998
			WO 9533085 A	07-12-1995

THIS PAGE BLANK (USPTO)